



HYDRA HD SAE 10W

OFFICIAL HITACHI APPROVAL

MECHANICAL RIGID DUMP TRUCKS

REQUEST FOR APPROVAL



Date: January 13, 2017

REQUEST: Rymax TDS Hydra HD 10W use in Hitachi Mechanical Rigid Dump Trucks

Reason for request

██████████ is working with their oil supplier sourcing a suitable hydraulic oil for use in their mechanical Hitachi rigid dump truck fleet. Rymax has proposed a Hydra HD 10W formulated for use that will satisfy their requirements, along with that of the OEM.

Technical Data Sheet of requested fluid

Typical Properties

SAE		10W
Density @15°C		0.880
Kinematic Viscosity @40°C	cSt	37.7
Kinematic Viscosity @100°C	cSt	6.2
Viscosity Index		110
Flash Point COC	°C	>201
Pour Point	°C	-33
Total Base Number		12.5

Performance

- API SF/CF-4
- ACEA E3
- Allison C-4
- CAT TO-2

Discussion

Hitachi Construction Truck Manufacturing Ltd (HTM) QA Service and Product Support reviewed the information supplied with the request and agrees the Rymax Hydra HD 10W meets the fluid characteristics and properties recommended for the mechanical truck's hydraulic system.

With the use of this fluid in the hydraulic system, along with the below mentioned items, the performance of the system and component life should meet industry expectations.

- Proper storage and handling of the fluid
- Cleanliness maintained during oil exchange and top-up
- System cleanliness during operation and reaction to filter alarms
- Fluid condition monitoring program with defined criteria and reaction
- Rigid fluid change interval in the absence a fluid condition monitoring program

Conclusion

HTM approves the use of Rymax Hydra HD 10W in hydraulic systems of the mechanical Hitachi rigid dump trucks models.

Garry Blyth

Hitachi Construction Truck Mfg. Ltd.
Senior Manager, Product Support

Hitachi Construction Truck Manufacturing Ltd., 200 Woodlawn Road, Guelph, Ontario, Canada N1H 1B6



ENDUROX XLE 10W-40

OFFICIAL MERCEDES-BENZ APPROVAL

MB-APPROVAL 228.51

DAIMLER TRUCK

Daimler Truck AG, PO Box 10 01 54, 70745 Leinfelden-Echterdingen, Germany



Telefon / Phone
+49 7 11 84 85-0

Hauspost-Code /
Internal Code

Ihr Zeichen, Ihre Nachricht vom /
Your reference

Unser Zeichen, unsere Nachricht vom /
Our reference

Name
E-Mail

Datum / Date

12.05.2023

TT/XEV-503787

frs@daimlertruck.com

23.08.2023

DTFR-Certificate - New Approval - Engine Oil - Reblend
DTFR 15C110 for: "Rymax Endurox XLE 10W-40"
Oil-Code: OR-F80665F-A, SAE-Grade: 10W-40
Reblend to OR-F80665F-A with Oil-Code: -
Supplier: Chevron Oronite S.A.S.

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Daimler Truck Specifications for Operating Fluids, sheet DTFR 15C110 and is therefore approved for the respective Mercedes-Benz-Trucks vehicles and assemblies. The application range is shown and further defined on the sheet DTFR 15A100. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

The following regulations apply for the DTFR (Daimler Truck Fluid Release):

- The DTFR comes into force on the date shown on this certificate
- The DTFR will expire in 5 years at the latest
- The DTFR automatically terminates on expiry of the validity period at the latest
- The DTFR is only valid as long as the product name is listed in Mercedes-Benz-Truck BeVo-ONLINE: <http://bevo.mercedes-benz-trucks.com>
- Applications for renewals or new approvals etc. must be made in good time
- In addition, the regulations laid down in the current "Obligations Regarding Approval for Operating Fluids" contract apply.

A 2-liter back-up sample of each formulation, which can be called upon by Daimler Truck AG at any given moment, must be retained for at least 3 years. We will inform you of the dispatch address.

Sincerely
Daimler Truck AG

i.V. Gilles Fédacou

i.V. Dr. Peter Kožuch

Daimler Truck AG
Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HRB-Nr./Commercial Register No.: 762884
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Joe Kaeser
Vorstand/Board of Management: Martin Daum, Vorsitzender/Chairman,
Karl Deppen, Jochen Goetz, Andreas Gorbach, Jürgen Hartwig, John O'Leary, Karin Rådström, Stephan Unger

Daimler Truck AG
Fasanenweg 10
70771 Leinfelden-Echterdingen, Germany
Telefon/Phone +49 7 11 84 85-0
Telefax/Fax +49 7 11 84 85-20 00
contact@daimlertruck.com
www.daimlertruck.com

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYSAXLUBRICANTS

WWW.INSTAGRAM.COM/RYSAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





ENDUROX XLD 5W-30

OFFICIAL VOLVO, RENAULT & MACK APPROVAL

VOLVO VDS-3, MACK EO-N, RENAULT RLD-2

VOLVO

Volvo Group Trucks Technology

STD 417-0002 approval

Company name:	Rymax B.V.
Product name:	Endurox XLD 5W-30
Oil code(s):	LUB002037
Viscosity grade:	5W-30

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault Trucks RLD-2 approval	Yes

Approval date: March 27, 2025 **Approval #:** 417-0002-25-2953

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Approval:

Approved



Volvo Group Trucks Technology

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYPAXLUBRICANTS

WWW.INSTAGRAM.COM/RYPAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





ENDUROX XLD 10W-40

OFFICIAL VOLVO, RENAULT & MACK APPROVAL

VOLVO VDS-3, MACK EO-N, RENAULT TRUCKS RLD-2

VOLVO

Volvo Group Trucks Technology

STD 417-0002 approval

Company name:	Rymax B.V.
Product name:	Endurox XLD 10W-40
Oil code(s):	LUB002036
Viscosity grade:	10W-40

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault Trucks RLD-2 approval	Yes

Approval date: March 27, 2025 **Approval #:** 417-0002-25-2713

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Approval:

Approved



Volvo Group Trucks Technology

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYPAXLUBRICANTS

WWW.INSTAGRAM.COM/RYPAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





ENDUROX FLD 10W-40

OFFICIAL VOLVO, RENAULT & MACK APPROVAL

VOLVO VDS-4.5, MACK EOS-4.5, RENAULT TRUCKS RLD-3

VOLVO

Volvo Group Trucks Technology

STD 417-0003 approval

Company name:	Rymax B.V.
Product name:	Endurox FLD 10W-40
Oil code(s):	LUB003030
Viscosity grade:	10W-40

Volvo VDS-4.5 approval	Yes
Mack EOS-4.5 approval	Yes
Renault Trucks RLD-3 approval	Yes

Approval date: April 12, 2025 **Approval #:** 417-0003-25-956

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Approval: *Approved*



Volvo Group Trucks Technology

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYPAXLUBRICANTS

WWW.INSTAGRAM.COM/RYPAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





ENDUROX FLD 10W-30

OFFICIAL VOLVO, RENAULT & MACK APPROVAL

VOLVO VDS-4.5, MACK EOS-4.5, RENAULT TRUCKS RLD-3

VOLVO

Volvo Group Trucks Technology

STD 417-0003 approval

Company name: Rymax
 Product name: Rymax Endurox FLD 10W-30
 Oil code(s): **CONFIDENTIAL**
 Viscosity grade: 10W-30

Volvo VDS-4.5 approval	Yes
Mack EOS-4.5 approval	Yes
Renault Trucks RLD-3 approval	Yes

Approval date: June 5, 2025 Approval #: 417-0003-25-1469

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Approval:

Approved



Volvo Group Trucks Technology

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

[WWW.FACEBOOK.COM/RYMAXLUBRICANTS](http://www.facebook.com/RYMAXLUBRICANTS)

[WWW.INSTAGRAM.COM/RYMAXLUBRICANTS](http://www.instagram.com/RYMAXLUBRICANTS)

WWW.RYMAX-LUBRICANTS.COM





ENDUROX FLD 5W-30

OFFICIAL VOLVO, RENAULT & MACK APPROVAL

VOLVO VDS-4.5, MACK EOS-4.5, RENAULT TRUCKS RLD-3

VOLVO

Volvo Group Trucks Technology

STD 417-0003 approval

Company name:	Rymax B.V.
Product name:	Endurox FLD 5W-30
Oil code(s):	LUB002313
Viscosity grade:	5W-30

Volvo VDS-4.5 approval	Yes
Mack EOS-4.5 approval	Yes
Renault Trucks RLD-3 approval	Yes

Approval date: April 12, 2025 **Approval #:** 417-0003-25-1925

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Approval: *Approved*



Volvo Group Trucks Technology

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYSMAXLUBRICANTS

WWW.INSTAGRAM.COM/RYSMAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





API APPROVALS

OFFICIAL API LICENSE

License No: 3596

SCHEDULE A - LICENSE AGREEMENT


The marks referred to and licensed under the Agreement between API and
RYMAX LUBRICANTS
may be used through 31-Mar-2027 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
APOLLO C3	5W-30	SP	SN PLUS
APOLLO C3 LL	5W-30	SP	SN PLUS
APOLLO ECO	0W-16	SP	Resource Conserving, SN PLUS
APOLLO ECO	0W-20	SP	Resource Conserving, SN PLUS
APOLLO ECO	0W-30	SP	Resource Conserving, SN PLUS
APOLLO XR	5W-40	SP	SN PLUS
APOLLO XR	10W-30	SP	SN PLUS
APOLLO XR	10W-40	SP	SN PLUS
POSIDON XP	5W-20	SP	SN PLUS
POSIDON XP	5W-30	SP	SN PLUS
POSIDON XP	5W-40	SP	SN PLUS
POSIDON XP	10W-30	SP	SN PLUS
POSIDON XP	10W-40	SP	SN PLUS
APOLLO C3	5W-40	SN	
APOLLO FE	5W-20	SN	
POSIDON	5W-40	SN	
POSIDON XR	0W-40	SN	
APOLLO VV	0W-30	SL	
HELIOS XT	15W-40	SL	
HELIOS XT	20W-50	SL	
MOTRAX 4T	20W-50	SL	
POSIDON	10W-40	SL	
ENDUROX FLD	10W-30	CK-4	CI-4 PLUS



Manager - EOLCS/DEF/MOM

Date: 17-Mar-2026

Engine Oil Licensing and Certification System

Copyright 2021 - American Petroleum Institute, all rights reserved. API, the API Logo, the API Certification Mark ("Starburst"), the API Service Symbol ("Shield"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API, 2020-142 (12/21)

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

 [WWW.FACEBOOK.COM/RYMAXLUBRICANTS](https://www.facebook.com/RYMAXLUBRICANTS)

 [WWW.INSTAGRAM.COM/RYMAXLUBRICANTS](https://www.instagram.com/RYMAXLUBRICANTS)

WWW.RYMAX-LUBRICANTS.COM



American
Petroleum
Institute



API APPROVALS

OFFICIAL API LICENSE

License No: 3596

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and RYMAX LUBRICANTS may be used through 31-Mar-2027 are as follows:

API SERVICE SYMBOL

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	API SERVICE CATEGORY	CLASSIFICATION
ENDUROX FLD	15W-40	CK-4	CI-4 PLUS
ENDUROX XHD	15W-40	CK-4	CI-4 PLUS
ENDUROX XLF	5W-30	CK-4	CI-4 PLUS
ENDUROX XLF	10W-40	CK-4	CI-4 PLUS
ENDUROX LD	10W-40	CI-4/SL	
ENDUROX LD	15W-40	CI-4/SL	
ENDUROX LD	20W-50	CI-4/SL	
ENDUROX XLD	10W-40	CI-4, CH-4	

Manager - EOLCS/DEF/MOM

Date: 17-Mar-2026

Engine Oil Licensing and Certification System

Copyright 2023 - American Petroleum Institute, all rights reserved. API, the API Logo, the API Certification Logo ("Starburst"), the API Service Symbol ("Shield"), and the API Certification Mark ("Shield") are either trademarks or registered trademarks of API, 2020-142 | 12.23

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

[WWW.FACEBOOK.COM/RYMAXLUBRICANTS](https://www.facebook.com/RYMAXLUBRICANTS)

[WWW.INSTAGRAM.COM/RYMAXLUBRICANTS](https://www.instagram.com/RYMAXLUBRICANTS)

WWW.RYMAX-LUBRICANTS.COM





American
Petroleum
Institute



API APPROVALS

OFFICIAL API LICENSE

License No: 3596

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
RYMAX LUBRICANTS
may be used through 31-Mar-2027 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
APOLLO ECO	0W-20	GF-6A
APOLLO ECO	0W-30	GF-6A

Bill O'P

Manager - EOLCS/DEF/MOM

Date: 17-Mar-2026

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API Logo, the API Certification Logo ("Starburst"), the API Service Symbol ("Shield"), and the API Certification Mark ("Star") are either trademarks or registered trademarks of API, 2020-142 | 12.23

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

[WWW.FACEBOOK.COM/RYMAXLUBRICANTS](https://www.facebook.com/RYMAXLUBRICANTS)

[WWW.INSTAGRAM.COM/RYMAXLUBRICANTS](https://www.instagram.com/RYMAXLUBRICANTS)

WWW.RYMAX-LUBRICANTS.COM





American Petroleum Institute



API APPROVALS

OFFICIAL API LICENSE

License No: 3596

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and RYMAX LUBRICANTS may be used through 31-Mar-2027 are as follows:

API CERTIFICATION MARK

Licensee is authorized to display the API Certification Mark on the following products:



BRAND NAME	SAE VISCOSITY GRADE	ILSAC SPECIFICATION
APOLLO ECO	0W-16	GF-6B



Bill O'P

Manager - EOLCS/DEF/MOM

Date: 17-Mar-2026

Engine Oil Licensing and Certification System

Copyright 2020 - American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Shieldmark"), the API Service Symbol ("Star"), and the API Certification Mark ("Star") are either trademarks or registered trademarks of API, 2020-142 | 02.20

To verify the authenticity of this document, go to: engineoil.api.org/Directory/EolcsSearch

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

[WWW.FACEBOOK.COM/RYMAXLUBRICANTS](https://www.facebook.com/rymaxlubricants)

[WWW.INSTAGRAM.COM/RYMAXLUBRICANTS](https://www.instagram.com/rymaxlubricants)

WWW.RYMAX-LUBRICANTS.COM





NSF APPROVALS

OFFICIAL NSF LICENSE

Certificate of Registration

Rymax B.V. has achieved Registration status for Multilube FG 68 to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2022) .



Rymax B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands
June 28, 2023

Registration may be verified at
nsfwhitebook.org




Samuel Cole
NSF Nonfood Compounds
Registration Program
Company No: C0773975

Multilube FG 68

Category Code: 3H, H1, HX-1

NSF Registration No. 168257

This product is acceptable for use as a Release Agent (3H) on grills, ovens, loaf pans, boning benches, chopping boards, or other hard surfaces in contact with meat and poultry food products to prevent food from adhering during processing.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

This product is acceptable as an ingredient for use in lubricants with incidental food contact (HX-1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed. Limitations: This ingredient is to be used in accordance with good manufacturing practices; it is not to exceed the minimum amount required to achieve the desired technical effect.. Formulations containing NSF Registered ingredients are not considered to be NSF Registered products. A separate application is required for each final product. Formulators using NSF Registered ingredients need only identify the trade name, the NSF Registration number, and concentration within the finished product on the application form.

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

 WWW.FACEBOOK.COM/RYSMAXLUBRICANTS

 WWW.INSTAGRAM.COM/RYSMAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





NSF APPROVALS

OFFICIAL NSF LICENSE

Registration of this product is current when the NSF Registration Mark and Category Code appear on the product label reviewed by NSF, and the Registered product name is in the NSF White Book™ (www.nsfwhitebook.org).

Listing of all registered nonfood compounds by NSF International is not an endorsement of those compounds or of any performance or efficacy claims made by the manufacturer.

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

 WWW.FACEBOOK.COM/RYPAXLUBRICANTS

 WWW.INSTAGRAM.COM/RYPAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





NSF APPROVALS

OFFICIAL NSF LICENSE



Certificate of Registration

Rymax B.V. has achieved Registration status for Hydra AW FG 46 to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2022) .

Hydra AW FG 46

Category Code: H1

NSF Registration No. 168256

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

Registration of this product is current when the NSF Registration Mark and Category Code appear on the product label reviewed by NSF, and the Registered product name is in the NSF White Book™ (www.nsfwhitebook.org).

Listing of all registered nonfood compounds by NSF International is not an endorsement of those compounds or of any performance or efficacy claims made by the manufacturer.



Rymax B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands
June 28, 2023

Registration may be verified at
nsfwhitebook.org



Samuel Cole
NSF Nonfood Compounds
Registration Program
Company No: C0773975

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

[WWW.FACEBOOK.COM/RYMAXLUBRICANTS](https://www.facebook.com/RYMAXLUBRICANTS)

[WWW.INSTAGRAM.COM/RYMAXLUBRICANTS](https://www.instagram.com/RYMAXLUBRICANTS)

WWW.RYMAX-LUBRICANTS.COM





NSF APPROVALS

OFFICIAL NSF LICENSE



Certificate of Registration

Rymax B.V. has achieved Registration status for Gevitro FG 220 to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2022) .

Gevitro FG 220

Category Code: H1

NSF Registration No. 172056

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

Registration of this product is current when the NSF Registration Mark and Category Code appear on the product label reviewed by NSF, and the Registered product name is in the NSF White Book™ (www.nsfwhitebook.org).

Listing of all registered nonfood compounds by NSF International is not an endorsement of those compounds or of any performance or efficacy claims made by the manufacturer.



Nonfood Compounds

Rymax B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands
April 18, 2025

Registration may be verified at
nsfwhitebook.org



Samuel Cole
NSF Nonfood Compounds
Registration Program
Company No: C0773975

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

[WWW.FACEBOOK.COM/RYMAXLUBRICANTS](https://www.facebook.com/RYMAXLUBRICANTS)

[WWW.INSTAGRAM.COM/RYMAXLUBRICANTS](https://www.instagram.com/RYMAXLUBRICANTS)

WWW.RYMAX-LUBRICANTS.COM





NSF APPROVALS

OFFICIAL NSF LICENSE



Certificate of Registration

Rymax B.V. has achieved Registration status for Gevitra FG 320 to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2022) .



Rymax B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands
April 18, 2025

Registration may be verified at
nsfwhitebook.org



Samuel Cole
NSF Nonfood Compounds
Registration Program
Company No: C0773975

Gevitra FG 320

Category Code: H1

NSF Registration No. 172057

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

Registration of this product is current when the NSF Registration Mark and Category Code appear on the product label reviewed by NSF, and the Registered product name is in the NSF White Book™ (www.nsfwhitebook.org).

Listing of all registered nonfood compounds by NSF International is not an endorsement of those compounds or of any performance or efficacy claims made by the manufacturer.

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYPAXLUBRICANTS

WWW.INSTAGRAM.COM/RYPAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





NSF APPROVALS

OFFICIAL NSF LICENSE



Certificate of Registration

Rymax B.V. has achieved Registration status for Gevitra FG 460 to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2022) .



Rymax B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands
April 18, 2025

Registration may be verified at
nsfwhitebook.org



Samuel Cole
NSF Nonfood Compounds
Registration Program
Company No: C0773975

Gevitra FG 460

Category Code: H1

NSF Registration No. 172058

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

Registration of this product is current when the NSF Registration Mark and Category Code appear on the product label reviewed by NSF, and the Registered product name is in the NSF White Book™ (www.nsfwhitebook.org).

Listing of all registered nonfood compounds by NSF International is not an endorsement of those compounds or of any performance or efficacy claims made by the manufacturer.

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYSAXLUBRICANTS

WWW.INSTAGRAM.COM/RYSAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





NSF APPROVALS

OFFICIAL NSF LICENSE



Certificate of Registration

Rymax B.V. has achieved Registration status for Gevitra FG 680 to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2022) .



Rymax B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands
April 18, 2025

Registration may be verified at
nsfwhitebook.org



Samuel Cole
NSF Nonfood Compounds
Registration Program
Company No: C0773975

Gevitra FG 680

Category Code: H1

NSF Registration No. 172059

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

Registration of this product is current when the NSF Registration Mark and Category Code appear on the product label reviewed by NSF, and the Registered product name is in the NSF White Book™ (www.nsfwhitebook.org).

Listing of all registered nonfood compounds by NSF International is not an endorsement of those compounds or of any performance or efficacy claims made by the manufacturer.

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYPAXLUBRICANTS

WWW.INSTAGRAM.COM/RYPAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





NSF APPROVALS

OFFICIAL NSF LICENSE



Certificate of Registration

Rymax B.V. has achieved Registration status for Gevitra FG 150 to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2022) .



Rymax B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands
May 21, 2025

Registration may be verified at
nsfwhitebook.org



Samuel Cole
NSF Nonfood Compounds
Registration Program
Company No: C0773975

Gevitra FG 150

Category Code: H1

NSF Registration No. 172202

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

Registration of this product is current when the NSF Registration Mark and Category Code appear on the product label reviewed by NSF, and the Registered product name is in the NSF White Book™ (www.nsfwhitebook.org).

Listing of all registered nonfood compounds by NSF International is not an endorsement of those compounds or of any performance or efficacy claims made by the manufacturer.

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYPAXLUBRICANTS

WWW.INSTAGRAM.COM/RYPAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





NSF APPROVALS

OFFICIAL NSF LICENSE



NSF/Nonfood Compounds Registration Program

Nonfood Compounds
Program Listed

OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of the NSF Nonfood Compounds Registration Program

This is the Official Listing recorded on May 27, 2025.

Rymax B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands
31 31 674 0856

Product Designation	Registration Number	Category Code
Gevitro FG 150	172202	H1
Gevitro FG 220	172056	H1
Gevitro FG 320	172057	H1
Gevitro FG 460	172058	H1
Gevitro FG 680	172059	H1
Hydra AW FG 46	168256	H1
Multilube FG 68	168257	3H,H1,HX-1

3H Release agents.

H1 Lubricants with incidental contact.

HX-1 Ingredient for use in lubricants with incidental contact.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.

1 of 1

789 N. Dixboro Rd. / Ann Arbor, MI 48105-9723 USA
(734) 769-8010 / (888) NSF-FOOD / Fax: (734) 827-7179
www.nsfwhitebook.org / E-mail: nonfood@nsf.org

C0773975

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

[WWW.FACEBOOK.COM/RYMAXLUBRICANTS](http://www.facebook.com/RYMAXLUBRICANTS)

[WWW.INSTAGRAM.COM/RYMAXLUBRICANTS](http://www.instagram.com/RYMAXLUBRICANTS)

WWW.RYMAX-LUBRICANTS.COM





KOSHER APPROVAL

OFFICIAL KOSHER CERTIFICATE

Badatz Hager Kashrus
Rabbinical Board for Kosher Certification
under auspices of Rabbi P.A. Meyers



בד"צ כשרות האג
בית דין מיוחד לעניני כשרות
בראשות האב"ד האג שליט"א



№ 20250421 בס"ד

תעודת כשרות

KOSHER CERTIFICATE

הנני מאשר כי המפעל הרשום למטה לתעשיית שמן מינרלי וחומרי ניקוי עומד תחת השגחתנו. אין בתהליך היצור שום חשש תערובת איסור או שאלת כשרות. ח"ש יום ר"ח אייר תשפ"ה לפ"ק.

Undersigned, Rabbi P.A. Meyers, declares that the food grade lubricants, fluids and cleaners of the company **Rymax Lubricants BV, in Zevenaar the Netherlands**, are produced under his supervision. Their products don't contain or come in contact with any non-kosher substances during the production process and are kosher Parve.

Kosher approved products Rymax

Aludax WFG 2	Boreas FS FG 68	Boreas FS FG 100
Boreas FS FG 150	Boreas PAO FG 68	Boreas PAO FG 100
Boreas PAO FG 150	Casdax FS FG 220	Catena FS FG 150
Gevitro FG 220	Gevitro FG 320	Gevitro FG 460
Gevitro FG 680	Gevitro PAO FG 220	Gevitro PAO FG 320
Gevitro PAO FG 460	Hydra AW FG 32	Hydra AW FG 46
Hydra AW FG 68	Hydra HVI ECO FG 32	Hydra HVI ECO FG 46
Hydra HVI ECO FG 68	Hygea ECO FG	Multilube FG 15
Multilube FG 32	Multilube FG 68	Multilube FG Notus FG

This kosher certificate is signed on 29 April 2025 and valid until 1 June 2026.



Head office: Van Spangenastraat 12, 2018 Antwerpen, Belgium
☎ 323-2132363, 32477-048653 rabbinat@koshercertification.eu
Israel branch: Rechov Harav Edelstein 18, Apt. 2, Bet Shemesh
☎ 97253-7146551, 97252-8868623 office@koshercertification.eu

Because Kosher is so much more than a symbol

www.koshercertification.eu

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

[WWW.FACEBOOK.COM/RYMAXLUBRICANTS](https://www.facebook.com/RYMAXLUBRICANTS)

[WWW.INSTAGRAM.COM/RYMAXLUBRICANTS](https://www.instagram.com/RYMAXLUBRICANTS)

WWW.RYMAX-LUBRICANTS.COM





ENDUROX FLD 15W-40

OFFICIAL VOLVO, RENAULT & MACK APPROVAL

VOLVO VDS-4.5, MACK EOS-4.5, RENAULT TRUCKS RLD-3

VOLVO

Volvo Group Trucks Technology

STD 417-0003 approval

Company name:	Rymax B.V.
Product name:	Endurox FLD 15W-40
Oil code(s):	LUB002043
Viscosity grade:	15W-40

Volvo VDS-4.5 approval	Yes
Mack EOS-4.5 approval	Yes
Renault Trucks RLD-3 approval	Yes

Approval date: April 12, 2025 **Approval #:** 417-0003-25-1927

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Approval: *Approved*



Volvo Group Trucks Technology

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYSMAXLUBRICANTS

WWW.INSTAGRAM.COM/RYSMAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





ENDUROX LD 10W-40

OFFICIAL VOLVO, RENAULT & MACK APPROVAL

VOLVO VDS-3, MACK EO-N, RENAULT TRUCKS RLD-2

VOLVO

Volvo Group Trucks Technology

STD 417-0002 approval

Company name:	Rymax B.V
Product name:	Endurox LD 10W-40
Oil code(s):	LUB002035
Viscosity grade:	10W-40

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault Trucks RLD-2 approval	Yes

Approval date: April 24, 2025 **Approval #:** 417-0002-25-2187

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Approval:

Approved



Volvo Group Trucks Technology

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYPAXLUBRICANTS

WWW.INSTAGRAM.COM/RYPAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





ENDUROX LD 15W-40

OFFICIAL VOLVO, RENAULT & MACK APPROVAL

VOLVO VDS-3, MACK EO-N, RENAULT TRUCKS RLD-2

VOLVO

Volvo Group Trucks Technology

STD 417-0002 approval

Company name:	Rymax Lubricants
Product name:	Endurox LD 15W-40
Oil code(s):	LUB002030
Viscosity grade:	15W-40

Volvo VDS-3 approval	Yes
Mack EO-N approval	Yes
Renault Trucks RLD-2 approval	Yes

Approval date: April 24, 2025 **Approval #:** 417-0002-25-1737

Validity: Approval expires two years after the approval date.
For approval extension, a complete and updated approval form must be submitted at the expiry date ± two months.

Approval:

Approved



Volvo Group Trucks Technology

Disclaimer: This approval is solely based on information submitted by the applicant and no further quality check is made by Volvo. Hence, Volvo takes no responsibility to ensure that the quality of this product is continuously maintained. This is the sole responsibility of the Company (see above).

RYMAX B.V.

Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYPAXLUBRICANTS

WWW.INSTAGRAM.COM/RYPAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM





HALAL APPROVAL

OFFICIAL HALAL CERTIFICATE



Halal Quality Control

شهادة حلال

HALAL CERTIFICATE

Awarded to:

Rymax Lubricants BV

Delweg 8, 6902 PJ Zevenaar, Netherlands

Halal Quality Control BV Netherlands hereby awards this Halal Certificate to the above mentioned company which has been found in compliance with the following criteria:

Reference Halal Standards: BPJPH Decree Nr. 20 of 2023
Scope of Certification: Lubricants
Product Category: K
For the Products: See the Annex for the approved products

This Halal Certificate is the sole property of the Halal approved company and is not to be shared with unauthorized parties.

Chief Executive Officer:
Dr. A.M. ALCHAMAN



Control Office of Halal Slaughtering and Halal Quality Control B.V.
Laan van Meerdervoort 53d | 2517 AE Den Haag | The Hague | Netherlands
Tel or WhatsApp: +31 70 3469795 | info@halalqualitycontrol.com | www.halalqualitycontrol.com
Legal Registration Nr: 85104019 | VAT Nr: NL863510486B01

Client ID:	NL10510502341
Issue Date:	20/10/2024
Expiry Date:	19/01/2026
Cert. No:	NL10510502459

Page 1/3

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

[WWW.FACEBOOK.COM/RYMAXLUBRICANTS](https://www.facebook.com/RYMAXLUBRICANTS)
 [WWW.INSTAGRAM.COM/RYMAXLUBRICANTS](https://www.instagram.com/RYMAXLUBRICANTS)

WWW.RYMAX-LUBRICANTS.COM





HALAL APPROVAL

OFFICIAL HALAL CERTIFICATE



Control Office Of Halal Slaughtering and
Halal Quality Control BV Netherlands

مكتب مراقبة الذبج حسب الشريعة الإسلامية
مكتب مراقبة جودة الحلال في هولندا

Annex to Halal Certificate: NL10510502459

Halal Quality Control confirms that the below mentioned items fully meet the Halal Requirements criteria of the Halal Standards to which it is applied for:

Nr	Product name
1	Aludax WFG 2
2	Boreas FS FG 68
3	Boreas FS FG 100
4	Boreas FS FG 150
5	Boreas PAO FG 68
6	Boreas PAO FG 100
7	Boreas PAO FG 150
8	Casdax FS FG 220
9	Catena FS FG 150
10	Gevitro FG 220
11	Gevitro FG 320
12	Gevitro FG 460
13	Gevitro FG 680
14	Gevitro PAO FG 220
15	Gevitro PAO FG 320
16	Gevitro PAO FG 460
17	Hydra AW FG 32
18	Hydra AW FG 46
19	Hydra AW FG 68
20	Hydra HVI ECO FG 32
21	Hydra HVI ECO FG 46
22	Hydra HVI ECO FG 68
23	Hygea ECO FG
24	Multilube FG 15
25	Multilube FG 32
26	Multilube FG 68

Control Office of Halal Slaughtering and Halal Quality Control B.V.
Laan van Meerdervoort 53d | 2517 AE Den Haag | The Hague | Netherlands
Tel or WhatsApp: +31 70 3469795 | info@halalqualitycontrol.com | www.halalqualitycontrol.com
Legal Registration Nr: 85104019 | VAT Nr: NL863510486B01
Copyrighted Document | Document Layout Version 3

Page 2/3

RYMAX B.V.
Delweg 8
6902 PJ Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYPAXLUBRICANTS
 WWW.INSTAGRAM.COM/RYPAXLUBRICANTS

WWW.RYPAX-LUBRICANTS.COM





HALAL APPROVAL

OFFICIAL HALAL CERTIFICATE



Control Office Of Halal Slaughtering and
Halal Quality Control BV Netherlands

مكتب مراقبة الذبج حسب الشريعة الإسلامية
مكتب مراقبة جودة الحلال في هولندا

Nr	Product name
27	Multilube FG
28	Notus FG

Certificate No: NL10510502459
Date of Issue: 20/10/2024
Date of Expiry: 19/01/2026

Annex number: 01
Revision number: 1.0
Revision date: 15/05/2025

Signature of the Chief Executive Officer and Stamp:
Dr. A.M. ALCHAMAN



Control Office of Halal Slaughtering and Halal Quality Control B.V.
Laan van Meerdervoort 53d | 2517 AE Den Haag | The Hague | Netherlands
Tel or WhatsApp: +31 70 3469795 | info@halalqualitycontrol.com | www.halalqualitycontrol.com
Legal Registration Nr: 85104019 | VAT Nr: NL863510486B01
Copyrighted Document | Document Layout Version 3

Page 3/3

RYMAX B.V.
Delweg 8
6902 P.J Zevenaar
The Netherlands

T +31 (0) 316 740 856
E info@rymax-lubricants.com

WWW.FACEBOOK.COM/RYPAXLUBRICANTS
 WWW.INSTAGRAM.COM/RYPAXLUBRICANTS

WWW.RYMAX-LUBRICANTS.COM

